

Cambridge Waste Water Treatment Plant Relocation Project



Preliminary Environmental Information
CWWTPR Hedgerow Survey Data
February 2022

H1 HEDGEROW SURVEY									
Ecology ID					Land Parcel Reference	TL5040360488		Date	
Weather Conditions					Surveyor(s)				
Wind		Air Temperature (°C)			Cloud Cover		Rain		
Start	Easting (X)				End	Easting (X)			
	Northing (Y)					Northing (Y)			
Total length of hedge section (m)	90				Number of 30m sections to be assessed				
Height of hedge (m)	7				Width of hedge (m)	2			
Photo References									
Number and length of gaps in hedge (as an overall % of length)					Number of mature trees (>20cm DBH) in total length of hedge				
0									
Are there any ditches along the length of the hedge?	Yes		Orientation of ditch			Wet or dry Ditch	Dry		
List of Schedule 3 Species for hedgerow assessment within 30m sections.					Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR	
<i>Acer campestre</i>	Field maple	Present			Present	<i>Adoxa moschatellina</i>	Moschatel		
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle		
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons		
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone		
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies		
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern		
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome		
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome		
<i>Crataegus monogyna</i>	Hawthorn	Present			Present	<i>Campanula trachelium</i>	Nettle-leaved bellflower		
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge		
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade		
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut		
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern		
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern		
<i>Fraxinus excelsior</i>	Ash	Present			Present	<i>Dryopteris dilatata</i>	Broad buckler-fern		
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern		
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine		
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail		
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge		
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue		
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry		
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff		
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert		
<i>Prunus spinosa</i>	Blackthorn	Present				<i>Geum urbanum</i>	Wood aven		
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell		
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel		
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort		
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush		
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat		
<i>Rosa canina</i>	Dog rose	Present			Present	<i>Mercurialis perennis</i>	Dog's mercury		
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet		
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid		
<i>Sambucus nigra</i>	Elder	Present				<i>Oxalis acetosella</i>	Wood sorrel		
Sub-totals		6	0	0		<i>Paris quadrifolia</i>	Herb Paris		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR	
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue		
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass		
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody		
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern		
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern		
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry		
<i>Ulmus minor 'Atinia'</i>	English elm	Present				<i>Primula elatior</i>	Oxlip		
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose		

<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
<i>Ulmus species</i>	Small leaved elm				Present	<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section	7	0	0			<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section				2.333333333		<i>Viola riviniana</i>	Common dog violet	

HEDGEROW ASSESSMENT	
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).	
(a) A bank or wall which supports the hedgerow along at least half of its length;	Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;	Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).	
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;	Present
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;	
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;	Absent
(g) A ditch along at least one half of the length of the hedgerow;	Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³	Absent
(i) A parallel hedge within 15m of the hedgerow.	Absent
Total number of features present	2

Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3	
Total number of other hedgerows connecting to hedgerow that is subject of survey	0
Signs of use by notable fauna	
Is the Hedgerow obviously less than 30 years in age?	No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WCA, or red data book species for 2007 to date	No
Does the hedge include at least 7 woody species (from Schedule 3)	Yes
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	Yes
Qualifies as 'IMPORTANT HEDGEROW'?	Yes
Notes	
³ A connection with another hedgerow scores one point and a connection with a pond or a woodland in which the majority of trees are broad-leaved trees scores two points; and a hedgerow is connected with something not only if it meets it but also if it has a point within 10 metres of it and would meet it if the line of the hedgerow continued.	Are further surveys needed?

H2 HEDGEROW SURVEY									
Ecology ID					Land Parcel Reference	see notes section	Date		
Weather Conditions					Surveyor(s)				
Wind		Air Temperature (°C)			Cloud Cover		Rain		
Start	Easting (X)				End	sting			
	Northing (Y)					thing			
Total length of hedge section (m)	unknown				Number of 30m sections to be assessed	3			
Height of hedge (m)	2.5				Width of hedge (m)	2			
Photo References									
Number and length of gaps in hedge (as an overall % of length)					Number of mature trees (>20cm DBH) in total length of hedge				
1									
Are there any ditches along the length of the hedge?	No		Orientation of ditch			Wet or dry Ditch			
List of Schedule 3 Species for hedgerow assessment within 30m sections.					Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR	
<i>Acer campestre</i>	Field maple				Present	<i>Adoxa moschatellina</i>	Moschatel		
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle		
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons		
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone		
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies		
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern		
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome		
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome		
<i>Crataegus monogyna</i>	Hawthorn	Present	Present	Present	Present	<i>Campanula trachelium</i>	Nettle-leaved bellflower		
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge		
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade		
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut		
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern		
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern		
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern		
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern		
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine		
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail		
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge		
<i>Populus nigra</i> ssp <i>betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue		
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry		
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff		
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert		
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven		
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell		
<i>Pyrus pyrausta</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel		
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort		
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush		
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat		
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury		
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet		
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid		
<i>Sambucus nigra</i>	Elder	Present	Present	Present	Present	<i>Oxalis acetosella</i>	Wood sorrel		
Sub-totals		2	2	2		<i>Paris quadrifolia</i>	Herb Paris		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR	
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue		
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass		
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody		
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern		
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern		
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry		
<i>Ulmus species</i>	Hybrid elm				Present	<i>Primula elatior</i>	Oxlip		
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose		

<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		2	2	2	2	<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent	
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent	
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent	
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent	
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent	
(g) A ditch along at least one half of the length of the hedgerow;							Absent	
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent	
(i) A parallel hedge within 15m of the hedgerow.							Absent	
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								0
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?							No	
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.							No	
Does the hedge include at least 7 woody species (from Schedule 3)							No	
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?							No	
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?							No	
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?							No	
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.							No	
Qualifies as 'IMPORTANT HEDGEROW'?							No	
Notes								
section 1 = TL4899661374, section 2 = TL4886961405, section 3 = TL4872661458								
³ A connection with another hedgerow scores one point and a connection with a pond or a woodland in which the majority of trees are broad-leaved trees scores two points; and a hedgerow is connected with something not only if it meets it but also if it has a point within 10 metres of it and would meet it if the line of the hedgerow continued.							Are further surveys needed?	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple		Present	Present	Present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood			Present	Present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	Present	Present	Present	Present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash		Present	Present	Present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet			Present	Present	<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple				Present	<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra</i> ssp <i>betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn		Present		Present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn			Present	Present	<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	dog rose		Present		Present			
<i>Rosa tomentosa</i>	Harsh Downy Rose		Present		Present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder				Present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	6	6	2	<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus species</i>	Elm species					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		1	6	6	2	<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					4.333333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;							Present	
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent	
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Present	
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent	
(g) A ditch along at least one half of the length of the hedgerow;							Absent	
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Present	

(i) A parallel hedge within 15m of the hedgerow.	Present
Total number of features present	4
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3	
Total number of other hedgerows connecting to hedgerow that is subject of survey	
5	
Signs of use by notable fauna	
Is the Hedgerow obviously less than 30 years in age?	No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.	No
Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL49690 60379, section 2 = TL50104 60692, section 3 = TL50318 60846 PLUM WAS ALSO PRESENT IN SECTIONS 2 & 3, AND OREGON GRAPE AND DEWBERRY IN SECTION 3 BRAMBLES AND DOMESTIC APPLES WERE FOUND GENERALLY ON THE SITE	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	Present				<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	Present			Present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash	Present			Present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet	Present				<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp. betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn	Present			Present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn	Present				<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose	Present				<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder				Present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		7	0	0		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus species</i>	Elm species					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		7	0	0		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2.333333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;							Present	
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent	
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Present	
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent	
(g) A ditch along at least one half of the length of the hedgerow;							Absent	
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Present	
(i) A parallel hedge within 15m of the hedgerow.							Present	

Total number of features present		4
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3		
Total number of other hedgerows connecting to hedgerow that is subject of survey		5
Signs of use by notable fauna		
Is the Hedgerow obviously less than 30 years in age?		No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WCA, or red data book species for 2007 to date		No
Does the hedge include at least 7 woody species (from Schedule 3)		Yes
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?		Yes
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?		No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?		Yes
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.		Yes
Qualifies as 'IMPORTANT HEDGEROW'?		Yes
Notes		
OTHER SPECIES PRESENT GENERALLY = BRAMBLES AND WALNUT AND PLUM		

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	Present	Present	Present	Present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved hellebore	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra</i> ssp <i>betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn				Present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species				Present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder			Present		<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	1	2		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus species</i>	Elm species					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		1	1	2		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					1.333333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent

Total number of features present		1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3		
Total number of other hedgerows connecting to hedgerow that is subject of survey		
Signs of use by notable fauna		
Is the Hedgerow obviously less than 30 years in age?	No	
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.	No	
Does the hedge include at least 7 woody species (from Schedule 3)	No	
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No	
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No	
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No	
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No	
Qualifies as 'IMPORTANT HEDGEROW'?		No
Notes		
section 1 = TL49848 60054, section 2 = TL49742 60152, section 3 = TL49645 60253 PLUM IS ALSO PRESENT WITHIN SECTION 1; BRAMBLE AND SYCAMORE ARE GENERALLY PRESENT		

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	Present	Present	Present	Present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereon					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash				Present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraister</i>	Wild pear					<i>Lamiastrum galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak				Present	<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn				Present	<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose				Present			
<i>Rosa species</i>	Rose species				Present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder			Present	Present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	1	2		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus species</i>	Elm species					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		1	1	2		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					1.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								No

Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.	No
Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	
section 1 = TL50494 59744; section 2 = TL50243 59824; section 3 = TL50065 99908 IVY ALSO PRESENT IN SECTION 1. GENERALLY THE FOLLOWING SPECIES WERE ALSO PRESENT: BRAMBLE, BUDDLEIA, SYCAMORE, NON-NATIVE ROSE	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present	present	present	present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood				present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present		present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash	present			present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple		present			<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn		present	present	present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn	present			present	<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose				present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder	present	present	present	present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		5	5	3		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm	present	present	present	present	<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
<i>Ulmus speceis</i>	Small leaved elm				present	<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		6	6	4		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					5.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Present
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Present
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								2
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								2
Signs of use by notable fauna								

Is the Hedgerow obviously less than 30 years in age?	Unknown
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.	Unknown
Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	Yes
Qualifies as 'IMPORTANT HEDGEROW'?	
Yes	
Notes	
section 1 = TL50406 61137, section 2 = TL50351 61364, section 3 = TL50211 61577 DOMESTIC APPLE ALSO GENERALLY PRESENT	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple		present	present	present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood		present	present	present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel		present		present	<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn			present		<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash	present	present		present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn	present		present	present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose	present		present	present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder			present	present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		3	4	6		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus intermedia</i>	Swedish whitebeam			present		<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm	present	present		present	<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose			present		<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		4	5	8		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					5.666666667	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multitemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Present
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Present
Total number of features present								3
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								Unknown
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								Unknown

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	Yes
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	Yes
Qualifies as 'IMPORTANT HEDGEROW'?	Yes
Notes	
section 1 = TL0351 61364; section 2 = TL50211 61577; section 3 = TL50014 61634 SECTION 2 ALSO HAS PLUM; SECTION 3 HAS SYCAMORE,	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present			present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash	present	present		present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly				present	<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn		present		present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyramidalis</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose	present		present	present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		4	3	2		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm				present	<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
						<i>Viola reichenbachiana</i>	Early dog violet	
Total species for each 30m section		4	3	2		<i>Viola riviniana</i>	Common dog violet	
Average per 30m section					3			
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Present
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								2
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
Signs of use by notable fauna								

Is the Hedgerow obviously less than 30 years in age?	No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.	No
Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL49913 61484; section2 = TL49934 61284; section 3 = TL50022 61009	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple				present	<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present	present		present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash				present	<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet				present	<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn		present	present		<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose	present			present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder			present	present	<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		2	2	2		<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm			present	present	<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
						<i>Viola reichenbachiana</i>	Early dog violet			
Total species for each 30m section		2	2	3		<i>Viola riviniana</i>	Common dog violet			
Average per 30m section					2.333333333					
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;										
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
							1			
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
							Unknown			
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.										
							Unknown			

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	
Section 1 = TL49862 60698; TL49859 61016; TL49826 61457 SYCAMORE IS A GENERAL SPECIES	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present			present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel				present	<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet	present				<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn	present			present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose				present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder				present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		4	1	1		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose				present	<i>Ranunculus auricomus</i>	Goldlocks buttercup	
<i>Ulmus species</i>	small leaved elm				present	<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		4	1	1		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Present
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Present
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								2
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								2
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								Unknown

Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.	Unknown
Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	
Section 1 = TL49347 62112; section 2 = TL49445 61949; section 3 = TL49589 61883 general other species = sycamore, blackthorn/plum hybrid, walnut	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn		present		present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	2	1		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		1	2	1		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					1.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								0
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								Yes
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL49455 61611; Section 2 = TL49459 61697; Section 3 = TL49460 61808 general species = PLUM	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn					<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrauster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals						<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
						<i>Viola reichenbachiana</i>	Early dog violet	
Total species for each 30m section						<i>Viola riviniana</i>	Common dog violet	
Average per 30m section					0			
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								
(g) A ditch along at least one half of the length of the hedgerow;								
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								
(i) A parallel hedge within 15m of the hedgerow.								
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								

Does the hedge include at least 7 woody species (from Schedule 3)	
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	
Qualifies as 'IMPORTANT HEDGEROW'?	
Notes	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn					<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals						<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section						<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					0	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								
(g) A ditch along at least one half of the length of the hedgerow;								
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								
(i) A parallel hedge within 15m of the hedgerow.								
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								

Does the hedge include at least 7 woody species (from Schedule 3)	
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	
Qualifies as 'IMPORTANT HEDGEROW'?	
Notes	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple		present	present	present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood		present	present		<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel		present			<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present		<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash	present	present	present	present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn		present	present		<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose	present	present	present	present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder	present		present		<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		4	7	7		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm				present	<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
						<i>Viola reichenbachiana</i>	Early dog violet	
Total species for each 30m section		4	7	7		<i>Viola riviniana</i>	Common dog violet	
Average per 30m section					6			
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Present
Total number of features present								1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL48324 61162; TL48454 61303; TL48395 61252 General species = cherry plum	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present			present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet				present	<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn	present				<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyrastrer</i>	Wild pear	present				<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose				present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		3				<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm				present	<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
						<i>Viola reichenbachiana</i>	Early dog violet			
Total species for each 30m section		3				<i>Viola riviniana</i>	Common dog violet			
Average per 30m section					3					
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent			
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Present			
Total number of features present							1			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
0										
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
No								No		
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.										
No										

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
general species = firethorn; section 1 = red osier dogwood	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood				present	<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose				present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder				present	<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		1	1	1		<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
Total species for each 30m section		1	1	1		<i>Viola reichenbachiana</i>	Early dog violet			
Average per 30m section					1	<i>Viola riviniana</i>	Common dog violet			
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;										
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
3										
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.							Unknown			

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	
section 1 = TL49152 61019; section 2 = TL49410 60619; section 3 = TL49535 60407 general species = sycamore and walnut. sycamore also in section 1.	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose (glandular)	present			present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		2	1	1		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		2	1	1		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					1.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								0
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL49343 61068; section 2 = TL49319 60964; section 3 = TL49301 60877	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn				present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose	present		present	present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		2	1	2		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
						<i>Viola reichenbachiana</i>	Early dog violet	
Total species for each 30m section		2	1	2		<i>Viola riviniana</i>	Common dog violet	
Average per 30m section					1.666666667			
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
0								
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
No								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
No								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL49743 61222; section 2 = TL49582 61217; section 3 = TL49486 61220 general species = sycamore	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose			present	present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	1	2		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		1	1	2		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					1.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								0
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL49557 60633; section 2= TL49569 60785; section 3 = TL49586 60954	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple				present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood			present	present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet				present	<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder			present	present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	1	3		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup	
<i>Ulmus x hollandica 'Vegeta'</i>	Huntington elm	present			present	<i>Sanicula europaea</i>	Sanicle	
<i>Ulmus species</i>	small leaved elm				present	<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		2	1	3		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
0								
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL4722461846; section 2 = TL4716561706; section 3 = TL4709361580 general species = cherry plum, sycamore, turkish hazel. section 1 = cherry plum and horse chestnut. section 2 = cherry plum, section 3 = cherry plum	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel				present	<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose	present	present		present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix cinerea</i>	Grey willow				present	<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder	present		present		<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		3	2	2		<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
						<i>Viola reichenbachiana</i>	Early dog violet			
Total species for each 30m section		3	2	2		<i>Viola riviniana</i>	Common dog violet			
Average per 30m section					2.333333333					
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;										
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
2										
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?							Unknown			
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.							Unknown			

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL48023 61531; section 2 = TL47966 61447; section 3 = TL47967 61363 General species = plum (also section 1 and 2)	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present			present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose	present				<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder	present			present	<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		3				<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
						<i>Viola reichenbachiana</i>	Early dog violet			
Total species for each 30m section		3				<i>Viola riviniana</i>	Common dog violet			
Average per 30m section					3					
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent			
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
							1			
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
							No			
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.							No			

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present	present		present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose	present	present		present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		2	2			<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
Total species for each 30m section		2	2			<i>Viola reichenbachiana</i>	Early dog violet			
Average per 30m section					2	<i>Viola riviniana</i>	Common dog violet			
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;										
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								No		

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL48032 61208; section 2 = TL47974 61064	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present		present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose		present		present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder		present			<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		1	3			<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		1	3			<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
general section = plum. 100m2 of strawberry clover in a strip along the North side of the field (TL47992 61288).	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present			present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose				present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder	present			present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		2				<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		2				<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								2
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present	present		present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose	present	present		present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species				present	<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder		present			<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		2	3			<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
Total species for each 30m section		2	3			<i>Viola reichenbachiana</i>	Early dog violet			
Average per 30m section					2.5	<i>Viola riviniana</i>	Common dog violet			
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent			
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								No		

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL48228 61264; section 2 = TL48107 61315	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present			present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn			present		<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash		present		present	<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn	present			present	<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder		present	present	present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		2	2	2		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm			present	present	<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		2	2	3		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					2.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	
Section 1 = TL48402 60962; section 2 = TL48380 60883; section 3 = TL48330 60743 general species = plum. plum also = section 1, 2 and 3. sycamore and snowberry = section 2	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple					<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood					<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel					<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn	present			present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn	present				<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose	present			present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier	present				<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		4				<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup			
						<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
Total species for each 30m section		4				<i>Viola reichenbachiana</i>	Early dog violet			
Average per 30m section					4	<i>Viola riviniana</i>	Common dog violet			
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent			
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Absent			
Total number of features present							0			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								No		

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
TL48196 61439 = 1m2 patch of strawberry clover	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)				
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Acer campestre</i>	Field maple	present	present	present		<i>Adoxa moschatellina</i>	Moschatel			
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle			
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons			
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone			
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies			
<i>Cornus sanguinea</i>	Dogwood				present	<i>Athyrium filix-femina</i>	Lady fern			
<i>Corylus avellana</i>	Hazel				present	<i>Brachypodium sylvaticum</i>	Wood false-brome			
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome			
<i>Crataegus monogyna</i>	Hawthorn				present	<i>Campanula trachelium</i>	Nettle-leaved bellflower			
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge			
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade			
<i>Euonymus europaeus</i>	Spindle				present	<i>Conopodium majus</i>	Pignut			
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern			
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern			
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern			
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern			
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine			
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail			
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge			
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue			
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry			
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff			
<i>Prunus avium</i>	Wild cherry	present				<i>Geranium robertianum</i>	Herb Robert			
<i>Prunus spinosa</i>	Blackthorn	present	present	present		<i>Geum urbanum</i>	Wood aven			
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell			
<i>Pyrus pyrauster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel			
<i>Quercus robur</i>	Pedunculata oak				present	<i>Lathraea squamaria</i>	Toothwort			
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush			
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat			
<i>Rosa canina</i>	Dog rose		present		present	<i>Mercurialis perennis</i>	Dog's mercury			
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet			
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid			
<i>Sambucus nigra</i>	Elder				present	<i>Oxalis acetosella</i>	Wood sorrel			
Sub-totals		3	3	2		<i>Paris quadrifolia</i>	Herb Paris			
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR		
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue			
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass			
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody			
<i>Taxus baccata</i>	Yew				present	<i>Polystichum aculeatum</i>	Hard shield fern			
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern			
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry			
<i>Ulmus minor 'Atinia'</i>	English elm	present			present	<i>Primula elatior</i>	Oxlip			
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose			
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldlocks buttercup			
<i>Ulmus x hollandica 'Vegeta'</i>	Huntingdon elm		present			<i>Sanicula europaea</i>	Sanicle			
						<i>Teucrium scorodonia</i>	Wood sage			
						<i>Veronica montana</i>	Wood speedwell			
						<i>Viola odorata</i>	Sweet violet			
						<i>Viola reichenbachiana</i>	Early dog violet			
Total species for each 30m section		4	4	3		<i>Viola riviniana</i>	Common dog violet			
Average per 30m section					3.66666667					
HEDGEROW ASSESSMENT										
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).										
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent			
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;										
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent			
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent			
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent			
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent			
(g) A ditch along at least one half of the length of the hedgerow;							Absent			
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent			
(i) A parallel hedge within 15m of the hedgerow.							Present			
Total number of features present							1			
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3										
Total number of other hedgerows connecting to hedgerow that is subject of survey										
							1			
Signs of use by notable fauna										
Is the Hedgerow obviously less than 30 years in age?										
							Unknown			
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.										
							Unknown			

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	
No	
Notes	
section 1 = TL48517 60980; section 2 = TL48623 60923; section 3 = TL48749 60860 general species = cotoneaster sp.; plum; apple. plum = section 1.	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present	present	present	present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood	present	present	present	present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel				present	<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash	present				<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet		present		present	<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa canina</i>	Dog rose				present	<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder					<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		4	4	3		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose	present				<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		5	4	3		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					4	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;							Absent	
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;							Absent	
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).							Absent	
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;							Absent	
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;							Absent	
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;							Absent	
(g) A ditch along at least one half of the length of the hedgerow;							Present	
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³							Absent	
(i) A parallel hedge within 15m of the hedgerow.							Absent	
Total number of features present								1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
Section 1 = TL49672 59359; section 2 = TL449722 59497; section 3 TL49777 59656 general species = plum	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present		present		<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood	present	present	present		<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel	present	present			<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash			present		<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyraeaster</i>	Wild pear					<i>Lamiastrum galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa rubiginosa</i>	Sweet briar	present	present			<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder	present	present		present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		6	5	4		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree		present		present	<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		6	6	4		<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					5.33333333	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								0
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL50110 59609; section 2 = TL50081 59542; section 3 = TL50037 59424	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present			present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood				present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel		present		present	<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present		present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet					<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn					<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyrastrer</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa species</i>	Rose species					<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder	present	present		present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		3	3			<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree					<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
Total species for each 30m section		3	3			<i>Viola reichenbachiana</i>	Early dog violet	
Average per 30m section					3	<i>Viola riviniana</i>	Common dog violet	
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Present
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Absent
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Absent
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								1
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								1
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL50173 59588; section 2 = TL50153 59529 plum = general species, section 1.	

List of Schedule 3 Species for hedgerow assessment within 30m sections.						Schedule 2 species, to be recorded along entire length of hedge (within 1m of outermost edges of the hedgerow)		
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Acer campestre</i>	Field maple	present	present		present	<i>Adoxa moschatellina</i>	Moschatel	
<i>Alnus glutinosa</i>	Alder					<i>Ajuga reptans</i>	Bugle	
<i>Betula pendula</i>	Silver birch					<i>Allium ursinum</i>	Ramsons	
<i>Betula pubescens</i>	Downy birch					<i>Anemone nemorosa</i>	Wood anemone	
<i>Carpinus betulus</i>	Hornbeam					<i>Arum maculatum</i>	Lords-and-ladies	
<i>Cornus sanguinea</i>	Dogwood	present		present	present	<i>Athyrium filix-femina</i>	Lady fern	
<i>Corylus avellana</i>	Hazel		present		present	<i>Brachypodium sylvaticum</i>	Wood false-brome	
<i>Crataegus laevigata</i>	Midland hawthorn					<i>Bromus ramosus</i>	Hairy brome	
<i>Crataegus monogyna</i>	Hawthorn	present	present	present	present	<i>Campanula trachelium</i>	Nettle-leaved bellflower	
<i>Daphne laureola</i>	Spurge-laurel					<i>Carex sylvatica</i>	Wood sedge	
<i>Daphne mezereum</i>	Daphne mezereum					<i>Circaea lutetiana</i>	Enchanters nightshade	
<i>Euonymus europaeus</i>	Spindle					<i>Conopodium majus</i>	Pignut	
<i>Fagus sylvatica</i>	Beech					<i>Dryopteris affinis</i>	Scaly male-fern	
<i>Frangula alnus</i>	Alder buckthorn					<i>Dryopteris carthusiana</i>	Narrow buckler fern	
<i>Fraxinus excelsior</i>	Ash					<i>Dryopteris dilatata</i>	Broad buckler-fern	
<i>Ilex aquifolium</i>	Holly					<i>Dryopteris filix-mas</i>	Male fern	
<i>Ligustrum vulgare</i>	Wild privet				present	<i>Epipactis helleborine</i>	Broad-leaved helleborine	
<i>Malus sylvestris</i>	Crab apple					<i>Equisetum sylvaticum</i>	Wood horsetail	
<i>Populus alba</i>	White poplar					<i>Euphorbia amygdaloides</i>	Wood spurge	
<i>Populus nigra ssp betulifolia</i>	Black poplar					<i>Festuca gigantea</i>	Giant fescue	
<i>Populus tremula</i>	Aspen					<i>Fragaria vesca</i>	Wild strawberry	
<i>Populus x canescens</i>	Grey poplar					<i>Galium odoratum</i>	Sweet woodruff	
<i>Prunus avium</i>	Wild cherry					<i>Geranium robertianum</i>	Herb Robert	
<i>Prunus spinosa</i>	Blackthorn		present			<i>Geum urbanum</i>	Wood aven	
<i>Pyrus cordata</i>	Plymouth pear					<i>Hyacinthoides non-scripta</i>	Bluebell	
<i>Pyrus pyramidalis</i>	Wild pear					<i>Lamium galeobdolon</i>	Yellow archangel	
<i>Quercus robur</i>	Pedunculata oak					<i>Lathraea squamaria</i>	Toothwort	
<i>Rhamnus cathartica</i>	Buckthorn					<i>Luzula pilosa</i>	Hairy wood-rush	
<i>Ribes uva-crispa</i>	Gooseberry					<i>Melampyrum pratense</i>	Common cow-wheat	
<i>Rosa rubiginosa</i>	Sweet briar			present		<i>Mercurialis perennis</i>	Dog's mercury	
<i>Salix species</i>	Willow species					<i>Milium effusum</i>	Wood millet	
<i>Salix viminalis</i>	Osier					<i>Orchis mascula</i>	Early purple orchid	
<i>Sambucus nigra</i>	Elder			present	present	<i>Oxalis acetosella</i>	Wood sorrel	
Sub-totals		3	4	4		<i>Paris quadrifolia</i>	Herb Paris	
Latin	English	Section 1 (30m)	Section 2 (30m)	Section 3 (30m)	General DAFOR	Latin	English	General DAFOR
<i>Sorbus aucuparia</i>	Rowan					<i>Phyllitis scolopendrium</i>	Hart's tongue	
<i>Sorbus species</i>	Whitebeam species					<i>Poa nemoralis</i>	Wood meadow-grass	
<i>Sorbus torminalis</i>	Wild service tree					<i>Polypodium vulgare</i>	Common polypody	
<i>Taxus baccata</i>	Yew					<i>Polystichum aculeatum</i>	Hard shield fern	
<i>Tilia platyphyllos</i>	Large-leaved lime					<i>Polystichum setiferum</i>	Soft shield fern	
<i>Ulex europaeus</i>	Gorse					<i>Potentilla sterilis</i>	Barren strawberry	
<i>Ulmus minor 'Atinia'</i>	English elm					<i>Primula elatior</i>	Oxlip	
<i>Viburnum lantana</i>	Wayfaring-tree				present	<i>Primula vulgaris</i>	Primrose	
<i>Viburnum opulus</i>	Guelder rose					<i>Ranunculus auricomus</i>	Goldilocks buttercup	
						<i>Sanicula europaea</i>	Sanicle	
						<i>Teucrium scorodonia</i>	Wood sage	
						<i>Veronica montana</i>	Wood speedwell	
						<i>Viola odorata</i>	Sweet violet	
						<i>Viola reichenbachiana</i>	Early dog violet	
Total species for each 30m section		3	4	4		<i>Viola riviniana</i>	Common dog violet	
Average per 30m section					3.66666667			
HEDGEROW ASSESSMENT								
Hedgerow features (taken from Hedgerow Regulations 1997 Part 11 Paragraph 7(4) to (i)).								
(a) A bank or wall which supports the hedgerow along at least half of its length;								Absent
(b) Gaps which aggregate do not exceed 10% of length of hedgerow;								Absent
(c) Where the length of the hedgerow does not exceed 50m, at least one standard tree; (standard tree >20cm DBH (or 63cm circ) and multistemmed is >15cm DBH (or 47cm circ).								Absent
(d) Where the length of the hedgerow exceeds 50m but does not exceed 100m, at least 2 standard trees;								Absent
(e) Where the length of the hedgerow exceeds 100m, such number of standard trees (within any part of its length) as would when averaged over its total length amount at least one for each 50m;								Absent
(f) At least 3 woodland species (Schedule 2) within one metre, in any direction, of the outermost edges of the hedgerow;								Absent
(g) A ditch along at least one half of the length of the hedgerow;								Present
(h) Connections scoring 4 points or more in accordance with sub-paragraph (5) ³								Present
(i) A parallel hedge within 15m of the hedgerow.								Absent
Total number of features present								2
Notable shrub or herb species that occur along the length of the entire hedge which are not listed in Schedule 2 or 3								
Total number of other hedgerows connecting to hedgerow that is subject of survey								
								4
Signs of use by notable fauna								
Is the Hedgerow obviously less than 30 years in age?								
								No
Does hedge currently support or have desk study records of spp protected in Schedules 1, 5 or 8 of the WaCA, or red data book species for 2007 to date.								
								No

Does the hedge include at least 7 woody species (from Schedule 3)	No
Does the hedge include at least 6 woody species (from Schedule 3) + 3 features listed overleaf?	No
Does the hedge include at least 6 woody species (from Schedule 3), including native black poplar, small or large lvd lime or service tree?	No
Does the hedge include at least 5 woody species (from Schedule 3) + four features listed overleaf?	No
Hedge adjacent to a bridleway, foot path/road used by public, path/byway open to all traffic + at least 4 woody species (from Schedule 3) + at least 2 of the features described in (a) to (g) above.	No
Qualifies as 'IMPORTANT HEDGEROW'?	No
Notes	
section 1 = TL49888 59747; section 2 = TL50072 59670; section 3 = TL50284 59592	